

Special offer for PGA yarns (beige and violet)

Currently, we can offer you the following PGA yarn types in the quantities listed below at favorable conditions:

PGA yarn	Fineness	Available quantity [kg]	
dtex/filament-count	denier	beige	violet
285f120	256,5	0,0	16,1
240f120	216,0	0,0	22,1
192f160	172,8	6,4	0,0
185f72	166,5	0,0	13,5
167f72	150,3	5,2	0,0
130f60	117,0	29,0	11,4
100f40	90,0	20,9	6,6
86f36	77,4	23,3	41,5
75f30	67,5	21,5	45,1
62f26	55,8	11,4	24,6
54f24	48,6	0,2	16,6
57f26	51,3	6,4	1,9
42f18	37,8	1,2	0,0
33f14	29,7	1,9	9,4
16f6	14,4	3,5	5,7
18f8	16,2	2,2	8,1
11f5	9,9	0,0	8,1

The general yarn specification is:

Clean room class:	ISO 8
Material:	PGA
Color:	undyed or violet
Fineness:	128 ± 4 denier, 48 filaments
Tenacity:	> 53 cN/tex (standard ~ 60 cN/tex)
i.V.:	> 0,85 dl/g
Elongation at break:	> 15 % (standard: 20 % - 30 %)
Degradation profile:	> 60 % after 14 d and > 24 % after 21 d (measured for braid after posttreatment, 0,9 % saline, 37 °C)
Spin finish:	Span 20/white oil = 2:1, 30 % in Xylene
Spin finish level:	< 5 %
Packaging:	Sealed in aluminum bags under reduced pressure with desiccant bag
Storage:	T < -15 °C (recommended)
Removal of spin-finish:	Xylene or n-heptane (has to be done by customer)